

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	297/476.ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:32
L2	26	242/381.ccls. and (counter\$3 oppos\$3 adjoin\$3 concentric\$4 male) near2 (socket spac\$3 recess\$2 aperture opening housing cylinder cylindrical\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:05
L3	6	242/381.ccls. and (counter\$3 oppos\$3 adjoin\$3 concentric\$4 male) near2 (recess\$2 slot\$3 groov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:05
L4	29	2 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:06
L5	2200	"242".clas. and (elastic\$4 damp\$3 dampen\$3 viscous viscosity fluid) near6 (shaft bar ax\$2 rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:22
L6	1957	L5 and @pd<"20030116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:22
L7	825	L6 and (viscous viscosity fluid) near4 (shaft bar ax\$2 rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:25
L8	1	L7 and (seat\$1belt safe\$3belt seat\$1harness\$3 safe\$3harness\$3 seat\$1webbing safe\$3webbing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:26
L9	1466	("280".clas. "297".clas.) and (elastic\$4 damp\$3 dampen\$3 viscous viscosity fluid) near6 (shaft bar ax\$2 rod) and @pd<"20030116" and (viscous viscosity fluid) near4 (shaft bar ax\$2 rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:22
L10	4	9 and (seat\$1belt safe\$3belt seat\$1harness\$3 safe\$3harness\$3 seat\$1webbing safe\$3webbing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:26
L11	3	10 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:23

EAST Search History

L12	825	L6 and (\$6viscous \$6viscosity fluid) near4 (shaft bar ax\$2 rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:25
L13	10	L7 and (webbing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:26
L14	10	9 and (webbing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:26
L15	17	(13 14) not (10)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:27
L16	11	("3193327" "3244382" "3289970").PN. OR ("3648946").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 18:31
L17	218	(297/476).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/09/12 18:32
S1	1	10/501782	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 21:34
S2	50	((("5881962") or ("5271578") or ("5906326") or ("5944277") or ("6241172") or ("3905562") or ("3888541") or ("3869173") or ("3841581") or ("4159809") or ("RE29688") or ("4099683") or ("4253623") or ("4277037") or ("4285478") or ("4303209") or ("4305618") or ("4337906") or ("4341399") or ("4346858") or ("4355772") or ("4371125") or ("4396167") or ("4401282") or ("4456196") or ("4470557") or ("4470556") or ("4475697") or ("4561606") or ("4763853") or ("4815674") or ("4907820") or ("5044575") or ("5029769") or ("5205025") or ("5209421") or ("5211352") or ("5232176") or ("5265813") or ("5285982") or ("5297752") or ("5326043") or ("5485970") or ("5722732") or ("5743597") or ("5775618") or ("5906328") or ("6062502") or ("6076757") or ("6089605"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/30 14:42
S3	1	2003WO-EP00354.ap,prai.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 10:30
S4	530	242/380,379.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 22:31

EAST Search History

S5	408	S4 and @pd<"20030116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 15:32
S6	86	S5 and ratchet\$3 near4 (block\$3 lock\$3 latch\$3 detent pivot\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 15:04
S7	98	S5 and ratchet\$3 near4 (block\$3 lock\$3 latch\$3 detent pivot\$4 pawl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 15:32
S8	17	S7 and (elastic\$4 damp\$3 dampen\$3 viscous viscosity fluid) near6 (shaft bar ax\$2 rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 16:46
S9	949	280/805,807.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 15:32
S10	780	S9 and @pd<"20030116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 21:35
S11	171	S10 and ratchet\$3 near4 (block\$3 lock\$3 latch\$3 detent pivot\$4 pawl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 16:47
S12	9	S11 and (elastic\$4 damp\$3 dampen\$3 viscous viscosity fluid) near6 (shaft bar ax\$2 rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 15:33
S14	8	S12 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 15:39
S15	3	(("4446884") or ("6799738") or ("6234417")).PN.	USPAT	OR	OFF	2007/03/30 15:39
S16	16	("3481148" "3643887" "4067545" "4114736" "4446884" "4523664" "4681279" "4793376" "5135181" "5794878" "6080007").PN. OR ("6234417").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 15:40
S17	2187	"242".clas. and (elastic\$4 damp\$3 dampen\$3 viscous viscosity fluid) near6 (shaft bar ax\$2 rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 16:47
S18	1957	S17 and @pd<"20030116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 16:46

EAST Search History

S19	825	S18 and (viscous viscosity fluid) near4 (shaft bar ax\$2 rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:20
S20	22	S19 and ratchet\$3 near4 (block\$3 lock\$3 latch\$3 detent pivot\$4 pawl)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 16:48
S21	5	("3648946").URPN.	USPAT	OR	ON	2007/03/30 16:51
S22	9	S18 and (rotation\$2 adj damp\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 16:56
S23	21	S18 and dashpot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 17:18
S24	30	S23 S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 17:21
S25	1	S24 and (safety seat) adj belt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 16:57
S26	0	DE-10005636-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 17:21
S27	1	GB-1440232-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 17:22
S28	2	GB-2330338-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 17:23
S29	7	("4232836" "4385775" "4446884" "4815674" "4908905" "5794878" "6234417").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/30 17:24
S31	4	("4446884").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/03/30 19:01
S32	302	242/379.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 22:31

EAST Search History

S33	193	S32 and @pd<"20030116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/30 22:31
S34	566	188/290,322.5.ccls. and (dashpot damp\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 22:10
S35	497	S34 and @pd<"20030116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 21:45
S36	38	S35 and (counter\$3 oppos\$3 adjoin\$3) near2 (socket spac\$3 recess\$2 aperture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 21:44
S37	1	S35 and (seat safety) adj belt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 21:49
S38	39	188/287,322.5.ccls. and (counter\$3 oppos\$3 adjoin\$3) near2 (socket spac\$3 recess\$2 aperture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 21:46
S39	16	S38 not (S37 S36)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 21:45
S40	16	S39 and @pd<"20030116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 22:10
S41	391	188/287,290,300,322.5.ccls. and (counter\$3 oppos\$3 adjoin\$3 concentric\$4 male) near2 (socket spac\$3 recess\$2 aperture opening housing cylinder cylindrical\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/12 18:04
S42	351	S41 and @pd<"20030116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 21:50
S43	1	S42 and (seat safety) adj belt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 21:49
S44	20	("3907256" "4130253" "4130254" "4130255" "4173332" "4235419" "4262933" "4300731" "4385775" "4446884" "4722495" "4771854" "4925124" "4940193" "5255868").PN. OR ("5794878").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/31 22:09

EAST Search History

S45	1895	B60R022/34.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 22:10
S46	1277	S45 and @pd<"20030116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 22:10
S47	3	S46 and (dashpot damp\$5) with ((unwind\$3 protract\$3 exten\$4) and (belt reel spool shaft))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 22:15
S48	351	A62B035/04.ipc. and @pd<"20030116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 22:15
S49	2	S48 and (dashpot damp\$5) with ((unwind\$3 protract\$3 exten\$4) and (belt reel spool shaft))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 22:17
S50	1	S49 not S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 22:15
S51	0	B60R024.ipc. and @pd<"20030116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 22:16
S52	1357	B60R022/28.ipc. and @pd<"20030116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 22:17
S53	7	S52 and (dashpot damp\$5) with ((unwind\$3 protract\$3 exten\$4) and (belt reel spool shaft))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/31 22:17